



## Mosaic variegated aneuploidy syndrome

Mosaic variegated aneuploidy (MVA) syndrome is a rare disorder in which some cells in the body have an abnormal number of chromosomes instead of the usual 46 chromosomes, a situation known as aneuploidy. Most commonly, cells have an extra chromosome, which is called trisomy, or are missing a chromosome, which is known as monosomy. In MVA syndrome, some cells are aneuploid and others have the normal number of chromosomes, which is a phenomenon known as mosaicism. Typically, at least one-quarter of cells in affected individuals have an abnormal number of chromosomes. Because the additional or missing chromosomes vary among the abnormal cells, the aneuploidy is described as variegated.

In MVA syndrome, growth before birth is slow (intrauterine growth restriction). After birth, affected individuals continue to grow at a slow rate and are shorter than average. In addition, they typically have an unusually small head size (microcephaly). Another common feature of MVA syndrome is an increased risk of developing cancer in childhood. Cancers that occur most frequently in affected individuals include a cancer of muscle tissue called rhabdomyosarcoma, a form of kidney cancer known as Wilms tumor, and a cancer of the blood-forming tissue known as leukemia.

Less commonly, people with MVA syndrome have eye abnormalities or distinctive facial features, such as a broad nasal bridge and low-set ears. Some affected individuals have brain abnormalities, the most common of which is called Dandy-Walker malformation. Intellectual disability, seizures, and other health problems can also occur in people with MVA syndrome.

There are at least three types of MVA syndrome, each with a different genetic cause. Type 1 is the most common and displays the classic signs and symptoms described above. Type 2 appears to have slightly different signs and symptoms than type 1, although the small number of affected individuals makes it difficult to define its characteristic features. Individuals with MVA syndrome type 2 grow slowly before and after birth; however, their head size is typically normal. Some people with MVA syndrome type 2 have unusually short arms. Individuals with MVA syndrome type 2 do not seem to have an increased risk of cancer. Another form of MVA syndrome is characterized by a high risk of developing Wilms tumor. Individuals with this form may also have other signs and symptoms typical of MVA syndrome type 1.

### Frequency

MVA syndrome is a rare condition. Its prevalence is unknown.

## Causes

*BUB1B* gene mutations cause MVA syndrome type 1, *CEP57* gene mutations cause MVA syndrome type 2, and *TRIP13* gene mutations cause the other form of MVA syndrome. Some people with MVA syndrome do not have mutations in any of these genes. Other genes that have not been identified are likely also involved in the condition.

The proteins produced from the *BUB1B*, *CEP57*, and *TRIP13* genes have roles in the proper separation of chromosomes during cell division. Before cells divide, they copy all of their chromosomes. To aid in the equal sorting of chromosomes to the two new cells, structures called spindle microtubules attach to the chromosomes and pull one copy of each to opposite sides of the cell. Then the cell divides such that each new cell has a full set of chromosomes. The *CEP57* protein helps organize and stabilize the spindle microtubules. The *BUBR1* protein, produced from the *BUB1B* gene, and the *TRIP13* proteins help ensure that each copy of the duplicated chromosomes is attached to a spindle microtubule, and they prevent cell division if any remain unattached.

The *BUB1B* gene mutations reduce the amount of functional *BUBR1* protein, and *TRIP13* gene mutations lead to an absence of *TRIP13* protein in cells. Without *BUBR1* or *TRIP13*, cell division can proceed, even if not all the chromosomes are attached to spindle microtubules. The resulting errors in the sorting of chromosomes typically leads to the aneuploidy that occurs in MVA syndrome. (Some people with *TRIP13* gene mutations have chromosome abnormalities that indicate problems with chromosome sorting but do not develop aneuploidy. These individuals do have the other signs and symptoms of MVA syndrome.) Research suggests that impairment of the process that delays cell division until the correct time underlies the increased risk of cancer in MVA syndrome, although the mechanism is not completely understood. It is also unclear how *BUB1B* or *TRIP13* gene mutations or aneuploidy is involved in the other features of the condition.

*CEP57* gene mutations are thought to reduce the amount of functional *CEP57* protein in cells. The resulting problems with spindle microtubule organization may prevent the normal separation of chromosomes during cell division, leading to aneuploidy, although the mechanism is unknown. Researchers are working to understand how these genetic changes lead to the other features of MVA syndrome type 2 and why individuals with this form of the condition do not seem to have an increased risk of cancer.

## Inheritance Pattern

All types of MVA syndrome are inherited in an autosomal recessive pattern, which means both copies of the *BUB1B*, *CEP57*, or *TRIP13* gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Parents of individuals with MVA syndrome type 1, who have a mutation in one copy of the *BUB1B* gene, can have a related problem with their chromosomes called premature

chromatid separation trait. Although these individuals have chromosome abnormalities that indicate trouble with normal chromosome separation during cell division, affected individuals usually have no health problems related to the trait.

### **Other Names for This Condition**

- mosaic variegated aneuploidy microcephaly syndrome
- MVA syndrome
- Warburton-Anyane-Yeboah syndrome

### **Diagnosis & Management**

#### Genetic Testing Information

- What is genetic testing?  
[/primer/testing/genetic-testing](#)
- Genetic Testing Registry: Mosaic variegated aneuploidy syndrome  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1850343/>
- Genetic Testing Registry: Mosaic variegated aneuploidy syndrome 2  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C3279843/>

### **Additional Information & Resources**

#### Health Information from MedlinePlus

- Encyclopedia: Intellectual Disability  
<https://medlineplus.gov/ency/article/001523.htm>
- Health Topic: Cancer in Children  
<https://medlineplus.gov/cancerinchildren.html>
- Health Topic: Developmental Disabilities  
<https://medlineplus.gov/developmentaldisabilities.html>
- Health Topic: Growth Disorders  
<https://medlineplus.gov/growthdisorders.html>
- Health Topic: Wilms Tumor  
<https://medlineplus.gov/wilmstumor.html>

#### Genetic and Rare Diseases Information Center

- Mosaic variegated aneuploidy syndrome  
<https://rarediseases.info.nih.gov/diseases/3007/mosaic-variegated-aneuploidy-syndrome>

### Additional NIH Resources

- National Institute of Neurologic Disorders and Stroke: Microcephaly Information Page  
<https://www.ninds.nih.gov/Disorders/All-Disorders/Microcephaly-Information-Page>

### Educational Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology  
<http://atlasgeneticsoncology.org/Kproues/MVAID10167.html>
- Centers For Disease Control and Prevention: Facts About Intellectual Disability  
[https://www.cdc.gov/ncbddd/actearly/pdf/parents\\_pdfs/IntellectualDisability.pdf](https://www.cdc.gov/ncbddd/actearly/pdf/parents_pdfs/IntellectualDisability.pdf)
- KidsHealth from Nemours: Intrauterine Growth Restriction (IUGR)  
<https://kidshealth.org/en/parents/iugr.html>
- MalaCards: mosaic variegated aneuploidy syndrome 1  
[https://www.malacards.org/card/mosaic\\_variegated\\_aneuploidy\\_syndrome\\_1](https://www.malacards.org/card/mosaic_variegated_aneuploidy_syndrome_1)
- MalaCards: mosaic variegated aneuploidy syndrome 2  
[https://www.malacards.org/card/mosaic\\_variegated\\_aneuploidy\\_syndrome\\_2](https://www.malacards.org/card/mosaic_variegated_aneuploidy_syndrome_2)
- Merck Manual Consumer Version: Overview of Leukemia  
<https://www.merckmanuals.com/home/blood-disorders/leukemias/overview-of-leukemia>
- Merck Manual Consumer Version: Rhabdomyosarcoma  
<https://www.merckmanuals.com/home/children-s-health-issues/childhood-cancers/rhabdomyosarcoma>
- Merck Manual Consumer Version: Wilms Tumor  
<https://www.merckmanuals.com/home/children-s-health-issues/childhood-cancers/wilms-tumor>
- Orphanet: Mosaic variegated aneuploidy syndrome  
[https://www.orpha.net/consor/cgi-bin/OC\\_Exp.php?Lng=EN&Expert=1052](https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=1052)

### Patient Support and Advocacy Resources

- American Cancer Society  
<https://www.cancer.org/>
- Human Growth Foundation  
<https://www.hgfound.org/>
- Kidney Cancer Association  
<https://www.kidneycancer.org/>
- March of Dimes  
<https://www.marchofdimes.org/baby/chromosomal-conditions.aspx>

- Resource List from the University of Kansas Medical Center: Brain (Cephalic) Conditions  
<http://www.kumc.edu/gec/support/brain.html>
- The Leukemia & Lymphoma Society  
<https://www.lls.org/leukemia>
- The MAGIC Foundation  
<https://www.magicfoundation.org/>
- Unique: Rare Chromosome Disorder Support Group (UK)  
<https://www.rarechromo.org/>

#### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28mosaic+variegated+aneuploidy%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

#### Catalog of Genes and Diseases from OMIM

- MOSAIC VARIEGATED ANEUPLOIDY SYNDROME 1  
<http://omim.org/entry/257300>
- MOSAIC VARIEGATED ANEUPLOIDY SYNDROME 2  
<http://omim.org/entry/614114>

#### Medical Genetics Database from MedGen

- Mosaic variegated aneuploidy syndrome  
<https://www.ncbi.nlm.nih.gov/medgen/338026>
- Mosaic variegated aneuploidy syndrome 2  
<https://www.ncbi.nlm.nih.gov/medgen/481473>

### **Sources for This Summary**

- García-Castillo H, Vásquez-Velásquez AI, Rivera H, Barros-Núñez P. Clinical and genetic heterogeneity in patients with mosaic variegated aneuploidy: delineation of clinical subtypes. *Am J Med Genet A*. 2008 Jul 1;146A(13):1687-95. doi: 10.1002/ajmg.a.32315. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/18548531>
- Hanks S, Coleman K, Reid S, Plaja A, Firth H, Fitzpatrick D, Kidd A, Méhes K, Nash R, Robin N, Shannon N, Tolmie J, Swansbury J, Irrthum A, Douglas J, Rahman N. Constitutional aneuploidy and cancer predisposition caused by biallelic mutations in BUB1B. *Nat Genet*. 2004 Nov;36(11):1159-61. Epub 2004 Oct 10.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/15475955>

- Snape K, Hanks S, Ruark E, Barros-Núñez P, Elliott A, Murray A, Lane AH, Shannon N, Callier P, Chitayat D, Clayton-Smith J, Fitzpatrick DR, Gisselsson D, Jacquemont S, Asakura-Hay K, Micale MA, Tolmie J, Turnpenny PD, Wright M, Douglas J, Rahman N. Mutations in CEP57 cause mosaic variegated aneuploidy syndrome. *Nat Genet.* 2011 Jun;43(6):527-9. doi: 10.1038/ng.822. Epub 2011 May 8.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/21552266>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3508359/>
- Suijkerbuijk SJ, van Osch MH, Bos FL, Hanks S, Rahman N, Kops GJ. Molecular causes for BUBR1 dysfunction in the human cancer predisposition syndrome mosaic variegated aneuploidy. *Cancer Res.* 2010 Jun 15;70(12):4891-900. doi: 10.1158/0008-5472.CAN-09-4319. Epub 2010 Jun 1.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/20516114>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2887387/>
- Wu Q, He R, Zhou H, Yu AC, Zhang B, Teng J, Chen J. Cep57, a NEDD1-binding pericentriolar material component, is essential for spindle pole integrity. *Cell Res.* 2012 Sep;22(9):1390-401. doi: 10.1038/cr.2012.61. Epub 2012 Apr 17.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/22508265>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3434346/>
- Yost S, de Wolf B, Hanks S, Zachariou A, Marcozzi C, Clarke M, de Voer RM, Etemad B, Uijtewaal E, Ramsay E, Wylie H, Elliott A, Picton S, Smith A, Smithson S, Seal S, Ruark E, Houge G, Pines J, Kops GJPL, Rahman N. Biallelic TRIP13 mutations predispose to Wilms tumor and chromosome missegregation. *Nat Genet.* 2017 May 29. doi: 10.1038/ng.3883. [Epub ahead of print]  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/28553959>

---

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/mosaic-variegated-aneuploidy-syndrome>

Reviewed: July 2017

Published: June 23, 2020

Lister Hill National Center for Biomedical Communications

U.S. National Library of Medicine

National Institutes of Health

Department of Health & Human Services